

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

September 15, 2006

12-Ora-5804
12-079304

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in ORANGE COUNTY IN WESTMINSTER AT THE BOLSA CHICA MAINTENANCE STATION AT 13072 OLD BOLSA CHICA ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on September 28, 2006.

This addendum is being issued to revise the Notice to Contractors and Special Provisions.

In the Special Provisions, Section 12-8.06, "FINISH HARDWARE," in "PART 3.-EXECUTION," subsection "DOOR HARDWARE GROUPS AND SCHEDULE," is added after subsection "INSTALLATION," as attached.

To Proposal and Contract book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 1
Page 2
September 15, 2006

12-Ora-5804
12-079304

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachments

DOOR HARDWARE GROUPS AND SCHEDULE. -Hardware groups specified herein shall correspond to those shown on the plans:

GROUP 1 Exterior exit (Doors 1, 5, 20, 24, 25)

- 1 1/2-pair butt hinges
- 1 each lever operated mortise lockset
- 1 each door closer
- 1 each kickplate
- 1 each floor mounted door stop
- 1 each weatherstrip
- 1 each door shoe with rain drip
- 1 each threshold

GROUP 2 Exterior exit, double doors (Doors 21, 22)

- 4-pair butt hinges
- 1 each lever operated mortise lockset
- 1 each door closer
- 2 each kickplate (door 22 only)
- 2 each floor mounted door stop
- 2 each weatherstrip
- 2 each door shoe with rain drip
- 2 each flush bolt on inactive leaf

**GROUP 3 Offices / Office supply / Janitor / Storages
(Doors 2, 3, 7, 8, 9, 11, 14, 15, 19, 28)**

- 1 1/2-pair butt hinges
- 1 each lever operate cylindrical lockset
- 1 each kickplate
- 1 each wall bumper

GROUP 4 Vestibule (Door 10)

- 1 1/2-pair butt hinges
- 1 each lever operate cylindrical lockset
- 1 each door closer
- 1 each kickplate
- 1 each wall bumper

GROUP 5 Equipment storage / HVAC/Electrical / Utility – 60 minute fire-rated (Doors 12, 13, 23)

- 1 1/2-pair butt hinges
- 1 each lever operated cylindrical lockset
- 1 each door closer
- 1 each kickplate
- 1 each floor mounted door stop
- 1 each smoke seal
- 1 each threshold

GROUP 6 Men / Women (Doors 4, 6)

- 1 1/2-pair butt hinges
- 1 each door closer
- 1 each kickplate
- 1 each pushplate
- 1 each pullplate
- 1 each wall bumper

GROUP 7 Restroom (Door 29)

- 1 1/2-pair butt hinges
- 1 each lever operated cylindrical privacy set
- 1 each door closer
- 1 each kickplate
- 1 each wall bumper

GROUP 8 General storage, double doors (Door 18)

- 3 pair butt hinges
- 1 each lever operated cylindrical lockset
- 2 each kickplate
- 2 each floor mounted door stop
- 2 each flush bolt on inactive leaf

GROUP 9 Overhead doors (Doors 16, 17, 26, 27)

Per manufacturer